


Example of PieSector() method.



Example of HTML tables

COL 1 - ROW 1 COLSPAN 3	COL 2 - ROW 1	COL 3 - ROW 1
	COL 2 - ROW 2 - COLSPAN 2	COL 3 - ROW 2
	text line text line text line text line	COL 3 - ROW 3

COL 1 - ROW 1 COLSPAN 3 text line text line text line text line text line text line	COL 2 - ROW 1	COL 3 - ROW 1
	COL 2 - ROW 2 - COLSPAN 2	COL 3 - ROW 2
	text line text line text line text line	COL 3 - ROW 3

COL 1 - ROW 1 COLSPAN 3 text line text line text line text line text line text line	COL 2 - ROW 1	COL 3 - ROW 1
	COL 2 - ROW 2 - COLSPAN 2	COL 3 - ROW 2
	text line text line text line text line	COL 3 - ROW 3

Left column	Heading Column Span 5					Heading Column Span 9								
	Rowspan 2 This is some text that fills the table cell.	span 2		span 2		2 rows	Colspan 8							
		1a	2a	1b	2b		1	2	3	4	5	6	7	8

A	XXXX	XXXX	XXXX	XXXX	XXXX
B	XXXX	XXXX	XXXX	XXXX	XXXX
1.	XXXX XXXX	XXXX XXXX	XXXX XXXX	XXXX XXXX	XXXX XXXX
2.	XXXX XXXX XXXX XXXX XXXX	XXXX XXXX	XXXX XXXX	XXXX XXXX	XXXX XXXX
		XXXX XXXX XXXX XXXX	XXXX XXXX XXXX XXXX	XXXX XXXX XXXX XXXX	XXXX XXXX XXXX XXXX
		RRRRRR XXXX XXXX	XXXX XXXX XXXX XXXX	XXXX XXXX XXXX XXXX	XXXX XXXX XXXX XXXX
3.		XXXX1 XXXX	XXXX XXXX XXXX XXXX XXXX	XXXX XXXX XXXX XXXX	XXXX XXXX XXXX XXXX
4.		XXXX XXXX	XXXX XXXX	XXXX XXXX	XXXX XXXX

A	XXXX	XXXX	XXXX	XXXX	XXXX
B	XXXX	XXXX	XXXX	XXXX	XXXX
1.	XXXX XXXX XXXX	XXXX XXXX	XXXX XXXX	XXXX XXXX	XXXX XXXX

A	XXXX	XXXX	XXXX	XXXX	XXXX
B	XXXX	XXXX	XXXX	XXXX	XXXX
2.	XXXX XXXX XXXX XXXX XXXX	XXXX XXXX	XXXX XXXX	XXXX XXXX	XXXX XXXX
			XXXX XXXX XXXX	XXXX XXXX	XXXX XXXX
			RRRRRR XXXX	XXXX XXXX	XXXX XXXX
3.		XXXX1 XXXX	XXXX XXXX XXXX XXXX XXXX	XXXX XXXX	XXXX XXXX
4.		XXXX XXXX	XXXX XXXX	XXXX XXXX	XXXX XXXX

NON-BREAKING TABLE		
1-1	1-2	1-3
2-1	3-2	3-3
3-1	3-2	3-3

NON-BREAKING ROWS		
ROW 1 COLUMN 1	ROW 1 COLUMN 2	ROW 1 COLUMN 3
ROW 2 COLUMN 1	ROW 2 COLUMN 2	ROW 2 COLUMN 3
ROW 3 COLUMN 1	ROW 3 COLUMN 2	ROW 3 COLUMN 3